Report No.	**48.400.26.0243.01-00/01**
Dated	**2026-03-18**

Client:	**Jiangsu Acrel Electrical Manufacturing. Co., Ltd.** No. 5, Dongmeng Road, Nanzha Street, Jiangyin, Jiangsu, P. R. China
Contact person:	Han Zhonghua
Test object:	**The submitted samples were received and described by client as:** **Product: Power Meter** **Model: APM** **Additional Model refer to the APPENDIX I.**



Purpose of examination:	1) Based on the Candidate List, to test the listed 253 Substances of Very High Concern (SVHCs) for Authorisation updated on 4th February, 2026, which was published in accordance with Article 59(10) of the REACH Regulation (EC) No 1907/2006.
Test method:	1). Test portion is digested with acid, analyzed by ICP-OES and UV-VIS. 2). Organic solvent extraction, analyzed by GC-MS, HPLC.

Summary:

The substances of Very High Concern concentration **less than** 0.1%	Group 1~ Group 9 Group 11~ Group 12
The substances of Very High Concern concentration **more than** 0.1%	Group 10 (see page 19-20)

Remark:
1. The tested samples were identified and appointed by client.
2. The result relates only to the items tested.
3. As the client required, the sample was tested in mixture.

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

1. Order

1.1 Date of Purchase Order

2026-03-12

1.2 Customer's Reference

Nil

1.3 Receipt Date of Test Sample

2026-03-12

1.4 Date of Testing

2026-03-12~2026-03-17

1.5 Document submitted

Nil

1.6 Location of Testing

TÜV SÜD Certification and Testing (China) Co., Ltd.
Shanghai Branch, SHA Chemical Lab.

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000



2. Description of the Evaluated Product

Sample No	Description	Photograph
01	Transparent soft plastic film	
02	Transparent hard plastic bracket	
03	Gray soft plastic label	
04	Black rubber button	
05	Black hard plastic shell	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Sample No	Description	Photograph
06	Silvery soft plastic label	
07	Silvery soft plastic label	
08	Black soft plastic label	
09	White soft plastic label	
10	Silver metal solder	






TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic
And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China
Tel.: +86-21-6037-6501

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Sample No	Description	Photograph
11	PCB board with electronic components	
12	Beige hard plastic socket	
13	Black hard plastic socket	
14	White hard plastic socket	
15	Black hard plastic component	






TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Sample No	Description	Photograph
16	Brown soft plastic slice	
17	Yellow soft plastic wire harness	
18	Black soft plastic adhesive tape	
19	Gray soft plastic film	
20	Black glue	





TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic
And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China
Tel.: +86-21-6037-6501

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Sample No	Description	Photograph
21	Transparent glass	
22	Silvery soft plastic film	
23	Black and white soft plastic adhesive tape	
24	Transparent hard plastic frame	
25	White soft plastic film	






TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Sample No	Description	Photograph
26	Transparent soft plastic adhesive tape	
27	Black soft plastic adhesive tape	
28	White hard plastic strip	
29	Black hard plastic button	
30	Black hard plastic base	





TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Sample No	Description	Photograph
31	Silvery metal frame	
32	Silvery metal slice	
33	Silvery metal shell	
34	Black hard plastic base	
35	Gray paper film	



TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic
And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China
Tel.: +86-21-6037-6501





LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Sample No	Description	Photograph
36	Black rubber cushion	
37	Yellow soft plastic ring	
38	Silvery metal slice	
39	Complete battery	
40	PCB board with electronic components	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Sample No	Description	Photograph
41	Silver metal solder	
42	White label	
43	Black hard plastic shell	
44	Black hard potting compound	
45	Black hard plastic shell	



TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic
And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China
Tel.: +86-21-6037-6501

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Sample No	Description	Photograph
46	Black hard potting compound	
47	Gray hard plastic frame	
48	Golden copper alloy nut	
49	Silvery metal pin	
50	PCB board with electronic components	



TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic
And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China
Tel.: +86-21-6037-6501

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Sample No	Description	Photograph
51	White label	
52	Silver metal solder	
53	Black soft plastic film	
54	Silvery metal shell	
55	Black rubber cushion	






TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic
And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China
Tel.: +86-21-6037-6501





LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Sample No	Description	Photograph
56	Brown paper film	
57	Yellow hard plastic shell	
58	Yellow potting compound	
59	Silvery film	
60	Yellow hard plastic shell	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.






LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Sample No	Description	Photograph
61	Black hard plastic base	
62	Black hard plastic shell	
63	Black hard plastic shell	
64	White hard plastic shell	
65	White hard plastic bracket	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Sample No	Description	Photograph
66	Golden metal wire	
67	Black hard plastic bracket	
68	Golden metal slice	
69	Green capacitor	
70	PCB board with electronic components	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

3. Test Data:

3.1 Testing Group

Group NO	Sample ID
Group 1	01+02+03+04+05+06+07+08+09
Group 2	10+31+32+33+38+41
Group 3	11
Group 4	12+13+14+15+16+17+18+19+20
Group 5	21+22+23+24+25+26+27+28+29
Group 6	30+34+35+36+37+42+43+44+45
Group 7	39
Group 8	40
Group 9	46+47+51+53+55+56+57+58+59
Group 10	48+49+5254+66+68
Group 11	50
Group 12	60+61+62+63+64+65+67+69+70

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

3.2 Test result

Group NO	Concentration of each SVHC in the submitted Objects (%)	Conclusion
Group 1	<0.01%	PASS
Group 2	<0.01%	PASS
Group 3	<0.01%	PASS
Group 4	<0.01%	PASS
Group 5	<0.01%	PASS
Group 6	<0.01%	PASS
Group 7	<0.01%	PASS
Group 8	<0.01%	PASS
Group 9	<0.01%	PASS
Group 10	>0.1%	--*
Group 11	<0.01%	PASS
Group 12	<0.01%	PASS

Remark:
*: Please refer to following table with distinguished SVHC data over threshold limit 0.1%

TEC_WUX_F_25.03E – Rev. 00 2021-06-24


Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.
TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

3.3 Highlighted SVHC data

Group 10

Sample No	Description	Photograph
48	Golden copper alloy nut	

Group NO / Sample NO	Result (%)		Conclusion
	Lead (CAS No. 7439-92-1)	Other substances of very high concern (SVHCs)	
Group 10 (Sample 48)	2.9325*	<0.01%	--

Remark:

1. Detection limit = 0.01%
2. “<” denoted less than
3. “>” denoted greater than
4. “--” denoted no judgement
5. Refer to the next pages for detailed list of SVHCs.
6. **“*” Obligation of Importer (For article)**
   - **a)** Communication Obligation: To communicate information downstream the supply chain according with article 33 of REACH. **OR**
   - b) Notification Obligation: Notification to ECHA, if the quantities of SVHC in the produced/imported articles are above 1 ton in total per year per company.
   - c) SCIP Database Submission Obligation: Provide sufficient information to ensure safe use of the article and, as a minimum, include the name of the substance, to their customers and on request to consumers within 45 days of the receipt of this request, according to Article 9(1)(i) of the Waste framework Directive (WFD)

According with RoHS directive(2011/65/EU) exemption item 6(c): Copper alloy containing up to 4 % lead by weight.

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.
TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Table of SVHC exceed 0.1%							
Sample No	Sample Description	SVHC name presence (>0.1% w/w)*	Individual article weight (g)	Quantity of article in product	Presence Amount in article (% w/w)	SVHC weight in products (g)	Material Category
48	Golden copper alloy nut	Lead	0.2	2	2.4127	0.0117	metal > copper

Technical data for reference	
SVHC Substance Name	Lead
CAS No.	7439-92-1
EC No.	231-100-4
Concentration range	≥ 1.0% w/w and < 10.0% w/w
Usage	Lead as an alloying element in metal
Safe Use Instruction	As Lead is present as an alloying element in metal and it is exempted according to Annex III of directive 2011/65/EU, no specific safety precaution is required.
Disposal Instruction	Disposal of material/product shall be conducted according to applicable regulations that are relevant to your geographical location.

Note:
SCIP Database Submission Obligation: The Article 9(1)(i) of the Waste framework Directive (WFD) requires any supplier of an article to provide the information pursuant to Article 33(1) of the REACH Regulation to the European Chemicals Agency as from 5 January 2021. Article 9(2) of the same Directive sets out that ECHA shall establish a database for the data to be submitted to ECHA pursuant to point (i) of paragraph 1 by 5 January 2020 and maintain it and shall provide access to that database to waste treatment operators and to consumers upon request. The scope of the database focuses on articles as such or in complex objects containing Candidate List substances in a concentration above 0.1% w/w.

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

4. SVHC candidate list published by European Chemical Agency (ECHA)

SN	Test Item(s)	CAS No.	Classification
1	Lead hydrogen arsenate	7784-40-9	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
2	Benzyl butyl phthalate (BBP)	85-68-7	Toxic for reproduction (article 57c)
3	Bis (2-ethylhexyl)phthalate (DEHP)	117-81-7	Toxic for reproduction (article 57c)
4	5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2	vPvB (article 57e)
5	Diarsenic trioxide	1327-53-3	Carcinogenic (article 57a)
6	Bis(tributyltin)oxide (TBTO)	56-35-9	PBT (article 57d)
7	Triethyl arsenate	15606-95-8	Carcinogenic (article 57a)
8	Diarsenic pentaoxide	1303-28-2	Carcinogenic (article 57a)
9	Sodium dichromate	7789-12-0, 10588-01-9	Carcinogenic, mutagenic and toxic for reproduction (articles 57a, 57b and 57c)
10	Dibutyl phthalate (DBP)	84-74-2	Toxic for reproduction (article 57c)
11	4,4'- Diaminodiphenylmethane (MDA)	101-77-9	Carcinogenic (article 57a)
12	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	85535-84-8	PBT and vPvB (articles 57 d and 57 e)
13	Anthracene	120-12-7	PBT (article 57d)
14	Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified: Alpha-hexabromocyclododecane Beta-hexabromocyclododecane Gamma-hexabromocyclododecane	25637-99-4, 3194-55-6 (134237-50-6) (134237-51-7) (134237-52-8)	PBT (article 57d)
15	Lead sulfochromate yellow (C.I. Pigment Yellow 34)	1344-37-2	Carcinogenic and toxic for reproduction (articles 57 a and 57 c))
16	Lead chromate molybdate sulphate red (C.I. Pigment Red 104)	12656-85-8	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
17	Anthracene oil	90640-80-5	Carcinogenic[1], PBT and vPvB (articles 57a, 57d and 57e)
18	2,4-Dinitrotoluene	121-14-2	Carcinogenic (article 57a)
19	Anthracene oil, anthracene paste, anthracene fraction	91995-15-2	Carcinogenic[2], mutagenic[3], PBT and vPvB (articles 57a, 57b, 57d and 57e)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

SN	Test Item(s)	CAS No.	Classification
20	Anthracene oil, anthracene-low	90640-82-7	Carcinogenic[2], mutagenic[3], PBT and vPvB (articles 57a, 57b, 57d and 57e)
21	Tris(2-chloroethyl)phosphate	115-96-8	Toxic for reproduction (article 57c)
22	Diisobutyl phthalate	84-69-5	Toxic for reproduction (article 57c)
23	Lead chromate	7758-97-6	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
24	Anthracene oil, anthracene paste	90640-81-6	Carcinogenic[2], mutagenic[3], PBT and vPvB (articles 57a, 57b, 57d and 57e)
25	Pitch, coal tar, high temp.	65996-93-2	Carcinogenic, PBT and vPvB (articles 57a, 57d and 57e)
26	Anthracene oil, anthracene paste,distn. lights	91995-17-4	Carcinogenic[2], mutagenic[3], PBT and vPvB (articles 57a, 57b, 57d and 57e)
27	Acrylamide	79-06-1	Carcinogenic and mutagenic (articles 57 a and 57 b)
28	Trichloroethylene	79-01-6	Carcinogenic (article 57 a)
29	Potassium dichromate	7778-50-9	Carcinogenic, mutagenic and toxic for reproduction (articles 57 a, 57 b and 57 c)
30	Tetraboron disodium heptaoxide, hydrate	12267-73-1	Toxic for reproduction (article 57 c)
31	Ammonium dichromate	7789-09-5	Carcinogenic, mutagenic and toxic for reproduction (articles 57 a, 57 b and 57 c)
32	Boric acid	10043-35-3, 11113-50-1	Toxic for reproduction (article 57 c)
33	Sodium chromate	7775-11-3	Carcinogenic, mutagenic and toxic for reproduction (articles 57 a, 57 b and 57 c)
34	Disodium tetraborate, anhydrous	1303-96-4, 1330-43-4, 12179-04-3	Toxic for reproduction (article 57 c)
35	Potassium chromate	7789-00-6	Carcinogenic and mutagenic (articles 57 a and 57 b).
36	Cobalt(II) diacetate	71-48-7	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
37	Cobalt(II) sulphate	10124-43-3	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
38	2-Ethoxyethanol	110-80-5	Toxic for reproduction (article 57c)
39	Acids generated from chromium trioxide and their oligomers. Names of the acids and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid.	7738-94-5, 13530-68-2	Carcinogenic (article 57a)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

SN	Test Item(s)	CAS No.	Classification
40	2-Methoxyethanol	109-86-4	Toxic for reproduction (article 57c)
41	Chromium trioxide	1333-82-0	Carcinogenic and mutagenic (articles 57 a and 57 b)
42	Cobalt(II) carbonate	513-79-1	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
43	Cobalt(II) dinitrate	10141-05-6	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
44	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6	Toxic for reproduction (article 57c)
45	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	68515-42-4	Toxic for reproduction (article 57c)
46	Strontium chromate	7789-06-2	Carcinogenic (article 57a)
47	1-Methyl-2-pyrrolidone	872-50-4	Toxic for reproduction (article 57c)
48	1,2,3-Trichloropropane	96-18-4	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
49	2-Ethoxyethyl acetate	111-15-9	Toxic for reproduction (article 57c)
50	Hydrazine	302-01-2, 7803-57-8	Carcinogenic (article 57a)
51	Cobalt dichloride	7646-79-9	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
52	4-(1,1,3,3-tetramethylbutyl)phenol	140-66-9	Equivalent level of concern having probable serious effects to the environment (article 57 f)
53	N,N-dimethylacetamide	127-19-5	Toxic for reproduction (article 57 c)
54	Phenolphthalein	77-09-8	Carcinogenic (article 57 a)
55	Lead diazide, Lead azide	13424-46-9	Toxic for reproduction (article 57 c),
56	Lead dipicrate	6477-64-1	Toxic for reproduction (article 57 c)
57	1,2-dichloroethane	107-06-2	Carcinogenic (article 57 a)
58	Calcium arsenate	7778-44-1	Carcinogenic (article 57 a)
59	Dichromium tris(chromate)	24613-89-6	Carcinogenic (article 57 a)
60	2-Methoxyaniline; o-Anisidine	90-04-0	Carcinogenic (article 57 a)
61	Pentazinc chromate octahydroxide	49663-84-5	Carcinogenic (article 57 a)
62	Arsenic acid	7778-39-4	Carcinogenic (article 57 a)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

SN	Test Item(s)	CAS No.	Classification
63	Potassium hydroxyoctaoxodizincatedichromate	11103-86-9	Carcinogenic (article 57 a)
64	Formaldehyde, oligomeric reaction products with aniline	25214-70-4	Carcinogenic (article 57 a)
65	Lead styphnate	15245-44-0	Toxic for reproduction (article 57 c)
66	Trilead diarsenate	3687-31-8	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
67	Zirconia Aluminosilicate Refractory Ceramic Fibres *are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm). c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight*	-	Carcinogenic (article 57 a)
68	Bis(2-methoxyethyl) phthalate	117-82-8	Toxic for reproduction (article 57 c)
69	Aluminosilicate Refractory Ceramic Fibres *are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm) c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight*	-	Carcinogenic (article 57 a)
70	Bis(2-methoxyethyl) ether	111-96-6	Toxic for reproduction (article 57 c)
71	2,2'-dichloro-4,4'-methylenedianiline	101-14-4	Carcinogenic (article 57 a)
72	α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) *[with ≥ 0.1% of*	6786-83-0	Carcinogenic (Article 57a)

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

SN	Test Item(s)	CAS No.	Classification
	Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]		
73	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	Carcinogenic (Article 57a)
74	1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione (β-TGIC)	59653-74-6	Mutagenic (Article 57b)
75	Diboron trioxide	1303-86-2	Toxic for reproduction (Article 57 c)
76	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	112-49-2	Toxic for reproduction (Article 57 c)
77	4,4'-bis(dimethylamino)-4"-(methylamino)trityl alcohol [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	561-41-1	Carcinogenic (Article 57a)
78	Lead(II) bis(methanesulfonate)	17570-76-2	Toxic for reproduction (Article 57 c)
79	Formamide	75-12-7	Toxic for reproduction (Article 57 c)
80	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	548-62-9	Carcinogenic (Article 57a)
81	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	Toxic for reproduction (Article 57 c)
82	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	2580-56-5	Carcinogenic (Article 57a)
83	1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC)	2451-62-9	Mutagenic (Article 57b)
84	4,4'-bis(dimethylamino)benzophenone (Michler's ketone)	90-94-8	Carcinogenic (Article 57a)
85	Pyrochlore, antimony lead yellow	8012-00-8	Toxic for reproduction (Article 57 c)
86	6-methoxy-m-toluidine (p-cresidine)	120-71-8	Carcinogenic (Article 57a)
87	Henicosafluoroundecanoic acid	2058-94-8	vPvB (Article 57 e)
88	Hexahydromethylphthalic anhydride [1], Hexahydro-4-methylphthalic anhydride [2], Hexahydro-1-methylphthalic anhydride [3], Hexahydro-3-methylphthalic anhydride [4] [The individual isomers [2], [3] and [4] (including their cis- and trans- stereo isomeric forms) and all possible combinations of the isomers [1] are covered by this entry]	25550-51-0, 19438-60-9, 48122-14-1, 57110-29-9	Equivalent level of concern having probable serious effects to human health (Article 57 f)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

SN	Test Item(s)	CAS No.	Classification
89	Cyclohexane-1,2-dicarboxylic anhydride [1], cis-cyclohexane-1,2-dicarboxylic anhydride [2], trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis- [2] and trans- [3] isomer substances and all possible combinations of the cis- and trans-isomers [1] are covered by this entry]	85-42-7, 13149-00-3, 14166-21-3	Equivalent level of concern having probable serious effects to human health (Article 57 f)
90	Dibutyltin dichloride (DBTC)	683-18-1	Toxic for reproduction (Article 57 c)
91	Lead bis(tetrafluoroborate)	13814-96-5	Toxic for reproduction (Article 57 c)
92	Lead dinitrate	10099-74-8	Toxic for reproduction (Article 57 c)
93	Silicic acid, lead salt	11120-22-2	Toxic for reproduction (Article 57 c)
94	4-Aminoazobenzene	60-09-3	Carcinogenic (Article 57a)
95	Lead titanium zirconium oxide	12626-81-2	Toxic for reproduction (Article 57 c)
96	Lead monoxide (lead oxide)	1317-36-8	Toxic for reproduction (Article 57 c)
97	o-Toluidine	95-53-4	Carcinogenic (Article 57a)
98	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	Toxic for reproduction (Article 57 c)
99	Silicic acid (H2Si2O5), barium salt (1:1), lead-doped [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008]	68784-75-8	Toxic for reproduction (Article 57 c)
100	Trilead bis(carbonate)dihydroxide	1319-46-6	Toxic for reproduction (Article 57 c)
101	Furan	110-00-9	Carcinogenic (Article 57a)
102	N,N-dimethylformamide	68-12-2	Toxic for reproduction (Article 57 c)
103	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]	-	Equivalent level of concern having probable serious effects to the environment (Article 57 f)
104	4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	-	Equivalent level of concern having probable serious effects to the environment (Article 57 f)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

SN	Test Item(s)	CAS No.	Classification
105	4,4'-methylenedi-o-toluidine	838-88-0	Carcinogenic (Article 57a)
106	Diethyl sulphate	64-67-5	Carcinogenic (Article 57a); Mutagenic (Article 57b)
107	Dimethyl sulphate	77-78-1	Carcinogenic (Article 57a)
108	Lead oxide sulfate	12036-76-9	Toxic for reproduction (Article 57 c)
109	Lead titanium trioxide	12060-00-3	Toxic for reproduction (Article 57 c)
110	Acetic acid, lead salt, basic	51404-69-4	Toxic for reproduction (Article 57 c)
111	[Phthalato(2-)]dioxotrilead	69011-06-9	Toxic for reproduction (Article 57 c)
112	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	1163-19-5	PBT (Article 57 d); vPvB (Article 57 e)
113	N-methylacetamide	79-16-3	Toxic for reproduction (Article 57 c)
114	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7	Toxic for reproduction (Article 57 c)
115	1,2-Diethoxyethane	629-14-1	Toxic for reproduction (Article 57 c)
116	Tetralead trioxide sulphate	12202-17-4	Toxic for reproduction (Article 57 c)
117	N-pentyl-isopentylphthalate	776297-69-9	Toxic for reproduction (Article 57 c)
118	Dioxobis(stearato)trilead	12578-12-0	Toxic for reproduction (Article 57 c)
119	Tetraethyllead	78-00-2	Toxic for reproduction (Article 57 c)
120	Pentalead tetraoxide sulphate	12065-90-6	Toxic for reproduction (Article 57 c)
121	Pentacosafluorotridecanoic acid	72629-94-8	vPvB (Article 57 e)
122	Tricosafluorododecanoic acid	307-55-1	vPvB (Article 57 e)
123	Heptacosafluorotetradecanoic acid	376-06-7	vPvB (Article 57 e)
124	1-bromopropane (n-propyl bromide)	106-94-5	Toxic for reproduction (Article 57 c)
125	Methoxyacetic acid	625-45-6	Toxic for reproduction (Article 57 c)
126	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	Carcinogenic (Article 57a)
127	Methyloxirane (Propylene oxide)	75-56-9	Carcinogenic (Article 57a); Mutagenic (Article 57b)
128	Trilead dioxide phosphonate	12141-20-7	Toxic for reproduction (Article 57 c)
129	o-aminoazotoluene	97-56-3	Carcinogenic (Article 57a)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

SN	Test Item(s)	CAS No.	Classification
130	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	Toxic for reproduction (Article 57 c)
131	4,4'-oxydianiline and its salts	101-80-4	Carcinogenic (Article 57a); Mutagenic (Article 57b)
132	Orange lead (lead tetroxide)	1314-41-6	Toxic for reproduction (Article 57 c)
133	Biphenyl-4-ylamine	92-67-1	Carcinogenic (Article 57a)
134	Diisopentylphthalate	605-50-5	Toxic for reproduction (Article 57 c)
135	Fatty acids, C16-18, lead salts	91031-62-8	Toxic for reproduction (Article 57 c)
136	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	Equivalent level of concern having probable serious effects to human health (Article 57 f)
137	Sulfurous acid, lead salt, dibasic	62229-08-7	Toxic for reproduction (Article 57 c)
138	Lead cyanamidate	20837-86-9	Toxic for reproduction (Article 57 c)
139	Cadmium	7440-43-9	Carcinogenic (Article 57a); Equivalent level of concern having probable serious effects to human health (Article 57 f)
140	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	Toxic for reproduction (Article 57 c); PBT (Article 57 d)
141	Pentadecafluorooctanoic acid (PFOA)	335-67-1	Toxic for reproduction (Article 57 c); PBT (Article 57 d)
142	Dipentyl phthalate (DPP)	131-18-0	Toxic for reproduction (Article 57 c)
143	4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	-	Equivalent level of concern having probable serious effects to the environment (Article 57 f)
144	Cadmium oxide	1306-19-0	Carcinogenic (Article 57a); Equivalent level of concern having probable serious effects to human health (Article 57 f)
145	Cadmium sulphide	1306-23-6	Carcinogenic (Article 57a); Equivalent level of concern having probable serious effects to human health (Article 57 f)
146	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-	573-58-0	Carcinogenic (Article 57a)

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

SN	Test Item(s)	CAS No.	Classification
	sulphonate) (C.I. Direct Red 28)		
147	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	Carcinogenic (Article 57a)
148	Dihexyl phthalate	84-75-3	Toxic for reproduction (Article 57 c)
149	Imidazolidine-2-thione (2-imidazoline-2-thiol)	96-45-7	Toxic for reproduction (Article 57 c)
150	Lead di(acetate)	301-04-2	Toxic for reproduction (Article 57 c)
151	Trixylyl phosphate	25155-23-1	Toxic for reproduction (Article 57 c)
152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	Toxic for reproduction (Article 57 c)
153	Cadmium chloride	10108-64-2	Carcinogenic (Article 57a); Mutagenic (Article 57(b); Toxic for Reproduction (Article 57(c); Equivalent level of concern having probable serious effects to human health (Article 57 f)
154	Sodium perborate; perboric acid, sodium salt	--	Toxic for reproduction (Article 57 c)
155	Sodium peroxometaborate	7632-04-4	Toxic for reproduction (Article 57 c)
156	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	PBT (Article 57 d); vPvB (Article 57 e)
157	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1	Toxic for reproduction (Article 57 c)
158	reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	--	Toxic for reproduction (Article 57 c)
159	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	PBT (Article 57 d); vPvB (Article 57 e)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

SN	Test Item(s)	CAS No.	Classification
160	Cadmium fluoride	7790-79-6	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); Toxic for reproduction (Article 57 c); Equivalent level of concern having probable serious effects to human health (Article 57 f)
161	Cadmium sulphate	10124-36-4 31119-53-6	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); Toxic for reproduction (Article 57 c); Equivalent level of concern having probable serious effects to human health (Article 57 f)
162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate	68515-51-5 68648-93-1	Toxic for Reproduction (Article 57 c)
163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2]	117933-89-8	vPvB (Article 57 e)
164	1,3-propanesultone	1120-71-4	Carcinogenic (Article 57 a)
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	vPvB (Article 57 e)
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	vPvB (Article 57 e)
167	Nitrobenzene	98-95-3	Toxic for reproduction (Article 57 c)
168	Perfluorononan-1-oic acid (2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadecafluorononanoic acid and its sodium and ammonium salts	375-95-1; 21049-39-8; 4149-60-4	Toxic for reproduction (Article 57 c);PBT (Article 57 d)
169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); Toxic for reproduction (Article 57 c); PBT (Article 57 d); vPvB (Article 57 e)
170	4,4'-isopropylidenediphenol (Bisphenol A, BPA)	80-05-7	Toxic for reproduction (Article 57 c)
171	Nonadecaflurodecanoic acid (PFDA) and its sodium and ammonium salts	335-76-2, 3830-45-3,	Toxic for reproduction (Article 57 c);

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

SN	Test Item(s)	CAS No.	Classification
		3108-42-7	PBT (Article 57 d)
172	4-Heptylphenol, branched and linear	--	Equivalent level of concern having probable serious effects to the environment (Article 57 f)
173	p-(1,1-dimethylpropyl)phenol (pentylphenol, PTAP)	80-46-6	Equivalent level of concern having probable serious effects to the environment (Article 57 f)
174	Perfluorohexane-1-sulphonic acid and its salts (PFHxS)	355-46-4	vPvB (Article 57e)
175	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo [12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"TM) [covering any of its individual anti- and syn-isomers or any combination thereof]	13560-89-9, 135821-74-8, 135821-03-3	vPvB(Article 57 e)
176	Benz[a]anthracene	56-55-3	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); vPvB(Article 57 e)
177	Cadmium nitrate	10325-94-7	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); Equivalent level of concern having probable serious effects to human health (Article 57 f)
178	Cadmium carbonate	513-78-0	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); Equivalent level of concern having probable serious effects to human health (Article 57 f)
179	Cadmium hydroxide	21041-95-2	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); Equivalent level of concern having probable serious effects to human health (Article 57 f)
180	Chrysene	218-01-9	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); vPvB(Article 57 e)
181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear]	--	Equivalent level of concern having probable serious effects to human health (Article 57 f)
182	Benzene-1,2,4-tricarboxylic acid 1,2-anhydride (trimellitic anhydride) (TMA)	552-30-7	Respiratory sensitising properties (Article 57(f)) – human health)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.
TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

SN	Test Item(s)	CAS No.	Classification
183	Dicyclohexyl phthalate (DCHP)	84-61-7	Toxic for reproduction (Article 57(c)); endocrine disrupting properties (Article 57(f) - human health)
184	Octamethylcyclotetrasiloxane (D4)	556-67-2	PBT (Article 57d); vPvB (Article 57e)
185	Decamethylcyclopentasiloxane (D5)	541-02-6	PBT (Article 57d); vPvB (Article 57e)
186	Dodecamethylcyclohexasiloxane (D6)	540-97-6	PBT (Article 57d); vPvB (Article 57e)
187	Lead	7439-92-1	Toxic for reproduction (Article 57c)
188	Disodium octaborate	12008-41-2	Toxic for reproduction (Article 57c)
189	Benzo[ghi]perylene	191-24-2	PBT (Article 57d); vPvB (Article 57e)
190	Terphenyl hydrogenated	61788-32-7	vPvB (Article 57e)
191	Ethylenediamine (EDA)	107-15-3	Respiratory sensitising properties (Article 57(f) - human health)
192	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	Toxic for reproduction (Article 57c)
193	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor)	15087-24-8	Endocrine disrupting properties (Article 57(f) - environment)
194	Benzo[k]fluoranthene	207-08-9	Carcinogenic (Article 57a); PBT (Article 57d); vPvB (Article 57e)
195	Fluoranthene	206-44-0	PBT (Article 57d); vPvB (Article 57e)
196	Phenanthrene	85-01-8	vPvB (Article 57e)
197	Pyrene	129-00-0	PBT (Article 57d); vPvB (Article 57e)
198	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of	--	Equivalent level of concern having probable serious effects on the environment (Article 57f) Equivalent level of concern having

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

SN	Test Item(s)	CAS No.	Classification
	their individual isomers and combinations thereof)		probable serious effects on human health (Article 57f)
199	2-methoxyethyl acetate	110-49-6	Toxic for reproduction (Article 57c)
200	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP)	--	Endocrine disrupting properties (Article 57(f) – environment)
201	4-tert-butylphenols (PTBP)	98-54-4	Endocrine disrupting properties (Article 57(f) – environment)
202	Diisohexyl phthalate	71850-09-4	Toxic for reproduction (Article 57c)
203	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1	Toxic for reproduction (Article 57c)
204	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	Toxic for reproduction (Article 57c)
205	Perfluorobutane sulfonic acid (PFBS) and its salts	--	Equivalent level of concern having probable serious effects on the environment (Article 57f) Equivalent level of concern having probable serious effects on human health (Article 57f)
206	1-vinylimidazole	1072-63-5	Toxic for reproduction (Article 57c)
207	2-methylimidazole	693-98-1	Toxic for reproduction (Article 57c)
208	Butyl 4-hydroxybenzoate	94-26-8	Endocrine disrupting properties (Article 57(f) - human health)
209	Dibutylbis(pentane-2,4-dionato-O,O')tin	22673-19-4	Toxic for reproduction (Article 57c)
210	Bis(2-(2-methoxyethoxy)ethyl)ether	143-24-8	Toxic for reproduction (Article 57c)
211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety	--	Toxic for reproduction (Article 57c)
212	1,4-dioxane	123-91-1	Carcinogenic (Article 57a) Equivalent level of concern having probable serious effects to human health (Article 57(f) - human health) Equivalent level of concern having probable serious effects to the

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

SN	Test Item(s)	CAS No.	Classification
			environment (Article 57(f) - environment)
213	2,2-bis(bromomethyl)propane1,3-diol (BMP), 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA), 2,3-dibromo-1-propanol (2,3-DBPA)	3296-90-0, 36483-57-5/ 1522-92-5, 96-13-9	Carcinogenic (Article 57a)
214	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	--	Toxic for reproduction (Article 57c)
215	4,4'-(1-methylpropylidene)bisphenol; (bisphenol B)	77-40-7	Endocrine disrupting properties (Article 57(f) – environment) Endocrine disrupting properties (Article 57(f) - human health)
216	Glutaral	111-30-8	Respiratory sensitising properties (Article 57(f) - human health)
217	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	--	PBT (Article 57d) vPvB (Article 57e)
218	Orthoboric acid, sodium salt	13840-56-7	Toxic for reproduction (Article 57c)
219	Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)	--	Toxic for reproduction (Article 57c) Endocrine disrupting properties (Article 57(f) – environment) Endocrine disrupting properties (Article 57(f) - human health)
220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	--	Endocrine disrupting properties (Article 57(f) - human health)
221	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	119-47-1	Toxic for reproduction (Article 57c)
222	S-(tricyclo[5.2.1.0'2,6]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8	PBT (Article 57d)
223	tris(2-methoxyethoxy)vinylsilane	1067-53-4	Toxic for reproduction (Article 57c)
224	N-(hydroxymethyl)acrylamide	924-42-5	Carcinogenic (Article 57 a) Mutagenic (Article 57 b)

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

SN	Test Item(s)	CAS No.	Classification
225	1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribromobenzene] (BTBPE)	37853-59-1	vPvB (Article 57e)
226	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol (TBBPA)	79-94-7	Carcinogenic (Article 57a)
227	4,4'-sulphonyldiphenol (BPS)	80-09-1	Toxic for reproduction (Article 57c) Endocrine disrupting properties (Article 57(f) - environment) Endocrine disrupting properties (Article 57(f) - human health)
228	Barium diboron tetraoxide	13701-59-2	Toxic for reproduction (Article 57c)
229	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof (TBPH)	--	vPvB (Article 57e)
230	Isobutyl 4-hydroxybenzoate	4247-02-3	Endocrine disrupting properties (Article 57(f) - human health)
231	Melamine	108-78-1	Equivalent level of concern having probable serious effects to human health (Article 57(f) - human health) Equivalent level of concern having probable serious effects to the environment (Article 57(f) - environment)
232	Perfluoroheptanoic acid and its salts	--	Toxic for reproduction (Article 57c) PBT (Article 57d) vPvB (Article 57e) Equivalent level of concern having probable serious effects to human health (Article 57(f) – human health) Equivalent level of concern having probable serious effects to the environment (Article 57(f) - environment)
233	Reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine	--	vPvB (Article 57e)
234	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	Toxic for reproduction (Article 57c)
235	Bis(4-chlorophenyl) sulphone	80-07-9	vPvB(Article 57 e)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

SN	Test Item(s)	CAS No.	Classification
236	2,4,6-tri-tert-butylphenol(2,4,6-TTBP)	732-26-3	Toxic for reproduction (Article 57c) PBT (Article 57d) vPvB (Article 57e)
237	2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol	3147-75-9	vPvB (Article 57e)
238	2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one	119344-86-4	Toxic for reproduction (Article 57c)
239	Bumetrizole	3896-11-5	vPvB (Article 57e)
240	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol(OAPP)	--	vPvB (Article 57e)
241	Bis(α,α-dimethylbenzyl) peroxide	80-43-3	Toxic for reproduction (Article 57c)
242	Triphenyl phosphate	115-86-6	Endocrine disrupting properties (Article 57(f) – environment)
243	Octamethyltrisiloxane	107-51-7	vPvB (Article 57e)
244	O,O,O-triphenyl phosphorothioate	597-82-0	PBT (Article 57d)
245	Perfluamine	338-83-0	vPvB (Article 57e)
246	6-[(C10-C13)-alkyl-(branched, unsaturated)-2,5-dioxopyrrolidin-1-yl]hexanoic acid	2156592-54-8	Toxic for reproduction (Article 57c)
247	Reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	192268-65-8	PBT (Article 57d)
248	1,1,1,3,5,5,5-heptamethyl-3-[(trimethylsilyl)oxy]trisiloxane	17928-28-8	vPvB (Article 57e)
249	Decamethyltetrasiloxane	141-62-8	vPvB (Article 57e)
250	Tetra(sodium/potassium) 7-[(E)-{2-acetamido-4-[(E)-(4-{[4-chloro-6-({2-[(4-fluoro-6-{[4-(vinylsulfonyl)phenyl]amino}-1,3,5-triazine-2-yl)amino]propyl}amino)-1,3,5-triazine-2-yl]amino}-5-sulfonato-1-naphthyl)diazenyl]-5-methoxyphenyl}diazenyl]-1,3,6-naphthalenetrisulfonate; Reactive Brown 51	--	Toxic for reproduction (Article 57c)
251	1,1'-(ethane-1,2-diyl)bis[pentabromobenzene] (DBDPE)	84852-53-9	vPvB (Article 57e)
252	n-hexane	110-54-3	Specific target organ toxicity after repeated exposure (Article 57(f) - human health)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

SN	Test Item(s)	CAS No.	Classification
253	4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and its salts	--	Toxic for reproduction (Article 57c)

Remarks:

1. Definition of classification is in accordance with 67/548/EEC and Regulation (EC) No 1907/2006.
2. The analysis of 253 SVHCs is done by currently available test & screening techniques against the SVHC candidate list published by European Chemical Agency (ECHA).

   Refer to http://echa.europa.eu/chem_data/candidate_list_table_en.asp for details.
3. "**" The substances are tested in terms of its respective elements and the test result is based on the calculation of selected elements.

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

5. 1 Proposed SVHC (Resorcinol) launched by European Chemical Agency (ECHA) on 1th June 2021

SN	Test Item(s)	CAS No.
1	Resorcinol	108-46-3

Remark:

1. Definition of classification is in accordance with 67/548/EEC and Regulation (EC) No 1907/2006.
2. 1 substance (Resorcinol) of Proposed Substances of Very High Concern (SVHC), which was launched a 45-days public consultation on 1th June 2021.

TÜV SÜD Certification and Testing (China) Co., Ltd.

Prepared by: **Checked by:**

Mr. Yiwei CHEN **Mr. Feng ZHANG**

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic
And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China
Tel.: +86-21-6037-6501

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

APPENDIX I: Product Model

Product: Power Meter	Test model: APM
	
Additional Model: APM521-*, APM510-*, APM520-*, APM510-S-*, APM520-S-*, APM300-*, APM300-R-*，"*means:E, KC, KM, KCE, KME, F, 2M, T. CE, L, 2C, WF, LR, 4G, K, APM800/#, APM801/#, APM810/#.APM830/#, "#'means:MD82, MA84, MLOG. MCM. MCE, MCP, MPNET. MTN, MTH, MTP. F	

Remark:

1. The report covers material testing on specified samples.
2. The tested materials covered by the report were declared by the manufacturer to be used on the additional model.

--END OF REPORT--

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000